

Cluster Chairs for Visitors



'Jalaram' dual executive training chair, cushioned seat & back.
Overall size: 14x31xW115xDx77 (cm)
Model No. JTC 401-C



Model No. JTC 423-D
'Jalaram' 3 seats cluster chair on beam with perforated seat and back with handle.
Overall Size: 1-64 x D-23 x H-33 (inch)



'Jalaram' Student / Staff training room chair with cushioned seat & back.
Width: 57.5 cm (desklet in use)
Width: 59.5 cm (desklet folded condition)
Depth: 68 cm
Height: 91.5 cm seat height 45 cm
Model No. JTC 401-L



Model No. JTC 423-E
'Jalaram' 3 seats perforated (chromium plated) cluster chair on beam with handle.
Overall Size: 1-73 x D-26 x H-40.5 (inch)



'Jalaram' Student / Staff training room chair with cushioned seat & back.
Overall size: 14x21xWx54xDx71 (cm)
Seat Height: 46 cm
Model No. JTC 401-M



Model No. JTC 423-F
'Jalaram' 3 seats (chromium plated) cluster chair on beam, cushioned seat & back with handle.
Overall Size: 1-73 x D-26 x H-40.5 (inch)



BEAUTY OF SIMPLICITY FROM ORIGINAL TEAK & STEEL



'JALARAM' OFFICE CHAIRS WHICH CAN WITHSTAND HEAT, DUST AND DIRT OF OPEN AIR ENVIRONMENT.



Nation wide network of offices/dealers for prompt pre/after sales services
Our nearest Dealer...

JALARAM STEEL FURNITURE (P) Ltd.

Office : 1, Mangalwadi, Jalaram Estate, Kapodra (Fly over end),
Varachha Road, SURAT - 395 006, (Guj.) INDIA
Phone : (0261) 2570002-2580203 Fax : (0261) 2575938
Works : 1, Shri Ram Ind. Estate, Al/Lakshmi, Tal/Karnej, Dist./Surat,
Visit us : www.jalaramsteel.com
E-mail : info@jalaramsteel.com

Note : In view of the Jalaram policy of continuous development and improvement, the dimensions and specification may be changed without prior notice or obligation. All dimensions are approximate. Customers, please specify their tapenry color choice while placing the order.

Copyright 2006/05



Simply Sturdiness & Ergonomics WIDE RANGE OFFICE CHAIRS FROM "JALARAM"



Model No. JOC 411-A
'Jalaram' full arm office chair, seat & back & handle crafted from seasoned teak wood, finished in natural PU coating & coated in special plastic of high tensile strength. Frame from ERW prime quality tube of 16 mm, reinforced at all bends by additional pipe for static and impact load with cushioning effect, powder coated finish after 8 tanks anti-rust treatment.
Overall Size: 14x31 x Wx55.5 x Dx61 (cm)



Model No. JOC 411-B
'Jalaram' overhanging arm office chair.
(Material specification & other details similar to Model No. JOC 411-A)
Overall Size: 14x31 x Wx55.5 x Dx58.5 (cm)



Model No. JOC 411-C
'Jalaram' armless office chair.
(Material specification & other details similar to Model No. JOC 411-A)
Overall Size: 14x31 x Wx46 x Dx58.5 (cm)



Model No. JOC 411-D
'Jalaram' stackable office chair without arms.
(Material specification & other details similar to Model No. JOC 411-A)
Overall Size: 14x31 x Wx46 x Dx58.5 (cm)



Model No. JOC 411-E
'Jalaram' multipurpose office chair with tubular arm rest, seat & back made up of 10mm thick hot pressed ply wood, cushioned with PU foam fabric upholstery, cantilever type 16 swg. tubular ERW frame, powder coated finish after 8 tank anti-rust treatment.
Overall Size: 14x31 x Wx46 x Dx60 (cm)



Model No. JOC 411-F
'Jalaram' full arm multipurpose chair, with fabric upholstery.
(Material specification & other details similar to Model No. JOC 411-E)
Overall Size: 14x31 x Wx53.5 x Dx61 (cm)



Model No. JOC 411-G
'Jalaram' full arm multipurpose chair. Seat & back with PU foam cushioning on teak wood frame, covered with Resene upholstery.
(other material specification similar to Model No. JOC 411-A)
Overall Size: 14x31 x Wx53.5 x Dx61 (cm)



Model No. JOC 411-H
'Jalaram' overhanging arm multipurpose chair.
(Material specification & other details similar to Model No. JOC 411-G)
Overall Size: 14x31 x Wx55.5 x Dx58.5 (cm)



Model No. JOC 411-I
'Jalaram' armless office chair without arms.
(Material specification & other details similar to Model No. JOC 411-G)
Overall Size: 14x31 x Wx46 x Dx60 (cm)



Model No. JOC 411-J
'Jalaram' multipurpose stackable office chair without arms.
(Material specification & other details similar to Model No. JOC 411-G)
Overall Size: 14x31 x Wx52 x Dx60 (cm)



Model No. JOC 411-K
'Jalaram' multipurpose office chair with cushioned seat & back.
(Material specification & other details similar to Model No. JOC 411-G)
Overall Size: 14x31 x Wx46 x Dx60 (cm)



Model No. JOC 411-L
'Jalaram' stackable visitor chair without arms.
(Material specification & other details similar to Model No. JOC 411-G)
Overall Size: 14x31 x Wx46 x Dx60 (cm)

Seating system for brain storming sessions and motivating training centers for designated.



'Jalaram' Executive training room chair.
Overall size: 14x31xWx55xDx77 (cm)
Model No. JTC 401-A



'Jalaram' Lecture hall / Staff training room chair.
Overall size: 14x21xWx54xDx71 (cm)
Seat height: 46 cm
Model No. JTC 401-C
Same also available in Cane seat & back.
Model No. JTC 401-D
Resene seat & back.
Model No. JTC 401-B



'Jalaram' Senior Executive training room chair.
Overall size: 14x21xWx54xDx71 (cm)
Model No. JTC 401-I



'Jalaram' Executive training room chair.
Overall size: 14x31xWx55xDx77 (cm)
Seat Height: 46 cm
Model No. JTC 401-G



'Jalaram' Executive training room chair.
Overall size: 14x31xWx55xDx77 (cm)
Seat Height: 46 cm
Model No. JTC 401-E



'Jalaram' Student / Staff training room chair with Seat & back in Resene.
Overall size: 14x21xWx54xDx72.5 (cm)
Model No. JTC 401-F

AAIWA



Let our visitors relax

JALARAM premium executive chairs for the Cares returned.



JEC 2017 A



JEC 2017 B



JEC 2017 C

- First Leader Chair
- Office Chair, International Standard
- Mesh padding, ventilation
- Anti-static, non-slip
- Adjustable, easy to operate
- Adjustable backrest, armrests
- High quality, durable, long-lasting
- Available in many colors, finishes
- Shipping upon order

- Model No. JEC 2017 A
- Overall size: 110 x 65 x 110 cm (H)
- Seat Height: 45-55 cm
- Model No. JEC 2017 B
- Overall size: 110 x 65 x 110 cm (H)
- Seat Height: 45-55 cm
- Model No. JEC 2017 C
- Overall size: 110 x 65 x 110 cm (H)
- Seat Height: 45-55 cm



JSS 910



JSS 902



JSS 901



JSS 908



JPC 422 K



JPC 422 G



JPC 422 H



JPC 422 F

also set also available in many models & sizes with multiple choice of tapetory, resins. In addition, please visit our Mail in Store or nearest dealer's showroom.

Multi purpose Office chairs from "JALARAM"



A/R

JALARAM premium executive chairs
Let others realize your position

JOC 421 A



JOC 421 C



JOC 421 D



JOC 411 A



JOC 411 C



JPC 422 B



JTC 401 A



JTC 401 M



JTC 401 L



JEC 2019 A



JEC 2019 B

JEC 2019 C

- Easy 180° Swivel, adjustable, non-slip
- Anti-static, non-slip, ventilation
- Available in many colors, finishes
- Shipping upon order

- Model No. JEC 2019 A
- Overall size: 110 x 65 x 110 cm (H)
- Seat Height: 45-55 cm
- Model No. JEC 2019 B
- Overall size: 110 x 65 x 110 cm (H)
- Seat Height: 45-55 cm
- Model No. JEC 2019 C
- Overall size: 110 x 65 x 110 cm (H)
- Seat Height: 45-55 cm

for more details of size & specification please refer to marketing dept./price list.

MARICHI



Wide range of Executive

26-27/43

JALARAM premium executive chairs for the Princely Meet



JEC 2018 A



JEC 2018 B



JEC 312 A



JEC 312 B



JEC 312 C



JEC 360



JEC 360 B



JCC 360 B



JCC 360 C



JCC 360 D



JCC 360 E

- Easy 180° Swivel, adjustable, non-slip
- Anti-static, non-slip, ventilation
- Available in many colors, finishes
- Shipping upon order

- Model No. JEC 2018 A, B, C, D, E
- Overall size: 110 x 65 x 110 cm (H)
- Seat Height: 45-55 cm
- Model No. JEC 2018 B
- Overall size: 110 x 65 x 110 cm (H)
- Seat Height: 45-55 cm
- Model No. JEC 2018 C
- Overall size: 110 x 65 x 110 cm (H)
- Seat Height: 45-55 cm



MARINA Series

Easy Folding

KALI

JALARAM premium executive chairs for Royal Challenges.





Guide rails & base frame with anti-topping mechanism are provided to prevent any kind of eventualty during operation as per international safety standard norms and BIFMA guidelines.


Mechanical Type

Steering type handle connected with chain & sprocket system for mechanical type Mobile Storage System for finger touch movement of M2, M3, M4 & M5 Models.
Load Bearing capacity of understructure above 1200 kgs.
Individual Locking facility provided in each unit as per International Safety standard.




Model No. JMSSS - M2 - A/B 2 Bay

MODEL	OVERALL SIZE
SFF M2A	1980 H x 1830 W x 381 D mm (78 H x 72 W x 15 D inch)
SFM M2A	1980 H x 1830 W x 381 D mm (78 H x 72 W x 15 D inch)
DFM M2A	1980 H x 1830 W x 381 D mm (78 H x 72 W x 15 D inch)
SFF M2B	1980 H x 1830 W x 457 D mm (78 H x 72 W x 18 D inch)
SFM M2B	1980 H x 1830 W x 457 D mm (78 H x 72 W x 18 D inch)
DFM M2B	1980 H x 1830 W x 457 D mm (78 H x 72 W x 18 D inch)




Model No. JMSSS - M3 - A/B 3 Bay

MODEL	OVERALL SIZE
SFF M3A	1980 H x 2545 W x 381 D mm (78 H x 108 W x 15 D inch)
SFM M3A	1980 H x 2545 W x 381 D mm (78 H x 108 W x 15 D inch)
DFM M3A	1980 H x 2545 W x 381 D mm (78 H x 108 W x 15 D inch)
SFF M3B	1980 H x 2545 W x 457 D mm (78 H x 108 W x 18 D inch)
SFM M3B	1980 H x 2545 W x 457 D mm (78 H x 108 W x 18 D inch)
DFM M3B	1980 H x 2545 W x 457 D mm (78 H x 108 W x 18 D inch)




Model No. JMSSS - M4 - A/B 4 Bay

MODEL	OVERALL SIZE
SFF M4A	1980 H x 3660 W x 381 D mm (78 H x 144 W x 15 D inch)
SFM M4A	1980 H x 3660 W x 381 D mm (78 H x 144 W x 15 D inch)
DFM M4A	1980 H x 3660 W x 381 D mm (78 H x 144 W x 15 D inch)
SFF M4B	1980 H x 3660 W x 457 D mm (78 H x 144 W x 18 D inch)
SFM M4B	1980 H x 3660 W x 457 D mm (78 H x 144 W x 18 D inch)
DFM M4B	1980 H x 3660 W x 457 D mm (78 H x 144 W x 18 D inch)



Model No. JMSSS - M5 - A/B 5 Bay

MODEL	OVERALL SIZE
SFF M5A	1980 H x 4575 W x 381 D mm (78 H x 180 W x 15 D inch)
SFM M5A	1980 H x 4575 W x 381 D mm (78 H x 180 W x 15 D inch)
DFM M5A	1980 H x 4575 W x 381 D mm (78 H x 180 W x 15 D inch)
SFF M5B	1980 H x 4575 W x 457 D mm (78 H x 180 W x 18 D inch)
SFM M5B	1980 H x 4575 W x 457 D mm (78 H x 180 W x 18 D inch)
DFM M5B	1980 H x 4575 W x 457 D mm (78 H x 180 W x 18 D inch)




Pull & Push Type

Handle is provided for pull & push (Manual System) for easy movement of P1 (1 Bay) & P2 Models (2 Bay).
Load Bearing capacity of understructure above 600 kgs




Model No. JMSSS - P1 - A/B 1 Bay

MODEL	OVERALL SIZE
SFF P1A	1980 H x 915 W x 381 D mm (78 H x 36 W x 15 D inch)
SFM P1A	1980 H x 915 W x 381 D mm (78 H x 36 W x 15 D inch)
DFM P1A	1980 H x 915 W x 381 D mm (78 H x 36 W x 15 D inch)
SFF P1B	1980 H x 915 W x 457 D mm (78 H x 36 W x 18 D inch)
SFM P1B	1980 H x 915 W x 457 D mm (78 H x 36 W x 18 D inch)
DFM P1B	1980 H x 915 W x 457 D mm (78 H x 36 W x 18 D inch)



Model No. JMSSS - P2 - A/B 2 Bay

MODEL	OVERALL SIZE
SFF P2A	1980 H x 1830 W x 381 D mm (78 H x 72 W x 15 D inch)
SFM P2A	1980 H x 1830 W x 381 D mm (78 H x 72 W x 15 D inch)
DFM P2A	1980 H x 1830 W x 381 D mm (78 H x 72 W x 15 D inch)
SFF P2B	1980 H x 1830 W x 457 D mm (78 H x 72 W x 18 D inch)
SFM P2B	1980 H x 1830 W x 457 D mm (78 H x 72 W x 18 D inch)
DFM P2B	1980 H x 1830 W x 457 D mm (78 H x 72 W x 18 D inch)



* All models are also available with height of 7', 8', 9' and up to 10' as per the requirement and size of the room.